

**Animal Enhancement Activity – ANM 14 - Riparian forest buffer, terrestrial and aquatic wildlife habitat**



**Enhancement Description**

The activity consists of the managing forested riparian zones to achieve stream side cover and vegetative diversity and structure to improve terrestrial and aquatic wildlife habitat.

**Land Use Applicability**

Cropland, pastureland, rangeland and forestland

**Benefits**

Targeted conservation measures are implemented to enhance habitat for aquatic species such as fish, turtles, frogs, salamanders, aquatic insects and other species of concern in

riparian zones of rivers or streams and their floodplains. These measures include re-location of equipment or forest management activities out of riparian zones and floodplains, and riparian forest stand management to increase tree canopy cover to streams or rivers and standing snags for riparian wildlife.

**Criteria**

This enhancement is implemented mainly by managing existing live trees and shrubs. The producer will apply and maintain management actions specifically for improving or protecting natural riparian zones and their functions associated with terrestrial and aquatic wildlife habitat. These actions include:

1. The width of forested riparian zones must be wider than the NRCS State standard width for Riparian Forest Buffers to a maximum width of 150 feet.
2. Manage the riparian area to maintain a diversity of non-invasive tree, shrub, and herbaceous species by techniques such as selective thinning, controlled grazing, prescribed burning, selective use of herbicides and/or the planting of native species.
3. Retain existing snags or create new snags by girdling live trees of at least one/acre.
4. Manage the riparian vegetation to provide tree canopy shade of the stream and good stream side cover.
5. Do not use heavy equipment such as bull dozers and tractors within the forested riparian zone to implement enhancement activities.

**Documentation Requirements**

Following implementation of this activity, the landowner must document:

1. Management activities conducted in the riparian zone for terrestrial and aquatic wildlife habitat.
2. Delineations on a map or aerial photo indicating the stream channel length where the riparian zone has improved habitat.



Animal Enhancement Activity – ANM14 – *Riparian Forest Buffer, Terrestrial and Aquatic Wildlife Habitat*

**Reference:**

**645 – Upland Wildlife Habitat Management**

**391 – Riparian Forest Buffer**

- **CP-22 Jobsheet – Riparian Buffer conservation Plan**

SPECIES		TREE RATING ZONE 1/	FOOD	COVER	NEST
<b>CONIFEROUS TREES</b>					
<b>Balsam Fir</b>	(Abies balsamea)	1-4	F,W	X	
<b>Black Spruce</b>	(Picea mariana)	1-4,5	F,W	X	X
<b>Eastern Red Cedar</b>	(Juniperus virginiana)	1,2,4-6	F,W	X	X
<b>Eastern White Pine</b>	(Pinus strobus)	1-4,6	F,W	X	X
<b>Jack Pine</b>	(Pinus banksiana)	1 - 4	F,W	X	X
<b>Northern White Cedar</b>	(Thuja occidentalis)	1-4	F,W	X	X
<b>Red Pine</b>	(Pinus resinosa)	1-3	F,W	X	X
<b>Tamarack</b>	(Larix laricina)	1-4	F,W	X	
<b>White Spruce</b>	(Picea glauca)	1-5	F,W	X	X
<b>DECIDUOUS TREES</b>					
<b>American Plum</b>	(Prunus americana)	1-6	S,F	X	X
<b>Bigtooth Aspen</b>	(Populus grandidentata)	1-6	F,W		X
<b>Bitternut Hickory</b>	(Carya cordiformis)	1,2,4,6	F,W	X	X
<b>Black Cherry</b>	(Prunus serotina)	1-6	S,F		
<b>Black Walnut</b>	(Juglans nigra)	1,6	F,W	X	X
<b>Bur Oak</b>	(Quercus macrocarpa)	1-6	F,W	X	X
<b>Common Chokecherry</b>	(Prunus virginiana)	1-6	S	X	
<b>E. Cottonwood - Native</b>	(Populus deltoides)	1-6	F,W		
<b>Green Ash</b>	(Fraxinus pennsylvanica)	1-6	F,W		
<b>Hackberry</b>	(Celtis occidentalis)	1-6	W		
<b>Hawthorn</b>	(Crataegus species)	1-4,6	W	X	X
<b>Mountain Ash</b>	(Sorbus americana)	1-4	F,W		
<b>Mountain Maple</b>	(Acer spicatum)	1-3	S,F		X
<b>No. Pin Oak</b>	(Quercus ellipsoidalis)	1-6	F,W	X	X
<b>No. Red Oak</b>	(Quercus rubra)	1-4,6	F,W	X	X
<b>Paper Birch</b>	(Betula papyrifera)	1-4,6	F,W		
<b>Pin Cherry</b>	(Prunus pennsylvanica)	1-6	S,F		
<b>Quaking Aspen</b>	(Populus tremuloides)	1-6	F,W		X

The USDA is an equal opportunity provider and employer.

<b>Red Maple</b>	(Acer rubrum)	1-4,6	S,F,W	X	X
<b>Shagbark Hickory</b>	(Carya ovata)	1,2	F,W	X	X
<b>Sugar Maple</b>	(Acer saccharum)	1-6	S,F,W		X
<b>Swamp White Oak</b>	(Quercus bicolor)	1,2,4,6	F,W	X	X
<b>White Oak</b>	(Quercus alba)	1,2,4,6	F,W	X	X
<b>Willows – Native</b>	(Salix spp)	1-6	F,W		X
<b>Yellow Birch</b>	(Betula alleghaniensis)	1-4,6	F,W		
<b>DECIDUOUS SHRUBS</b>					
<b>American Hazelnut</b>	(Corylus americana)	1-5	W	X	X
<b>Arrow-wood</b>	(Viburnum dentatum)	1-6	F,W	X	
<b>Chokeberry</b>	(Aronia melanocarpa)	1-3	W	X	
<b>False Indigo</b>	(Amorpha fruticosa)	1,2,4-6	F	X	
<b>Gray Dogwood</b>	(Cornus racemosa)	1-6	F	X	X
<b>Highbush Cranberry</b>	(Viburnum trilobum)	1-6	F,W	X	
<b>Nannyberry</b>	(Viburnum lentago)	1-6	F,W	X	
<b>Ninebark</b>	(Physocarpus opulifolius)	1-3	F,W	X	
<b>Red Osier Dogwood</b>	(Cornus stolonifera)	1-6	F	X	X
<b>Serviceberry</b>	(Amelanchier alnifolia)	2-6	S	X	X
<b>Silky Dogwood</b>	(Cornus amomum)	1,2,6	F	X	X
<b>Silver Buffaloberry</b>	(Sheperdia argentea)	5,6	S	X	X
<b>Smooth Sumac</b>	(Rhus glabra)	1-6	W		
<b>Staghorn Sumac</b>	(Rhus typhina)	1-3	W		

Food availability codes: S = summer