

**1997 Estimated Soil Loss Rate, tons/acre/year, of Wind Induced Erosion
on Cropland, Conservation Reserve Program (CRP) Land*, and Pastureland
Ten Counties* in Oregon by NRCS Basin***

National Resources Inventory Results
Estimated for Non-Federal Lands Only

NRCS Basin Name	Cultivated Cropland		Non-Cultivated Cropland		CRP Land		Pastureland	
	Estimates	Error	Estimates	Error	Estimates	Error	Estimates	Error
--- Tons/Acre/Year ---								
John Day/Umatilla	4.28	0.43	0.58	0.30	0.00	*	0.15	0.08
High Desert	3.81	1.55	0.02	0.02	0.27	*	0.34	0.16
Deschutes	2.34	0.15	0.16	0.10	0.04	*	0.48	0.30
Snake River	1.95	0.43	0.00	0.00	0.00	*	0.00	0.00
NRCS Basins where wind erosion data not collected due to low levels of wind erosion.								
Central Coast/Upper Willamette	-	-	-	-	-	-	-	-
Lower Willamette	-	-	-	-	-	-	-	-
North Coast	-	-	-	-	-	-	-	-
Southwest Oregon	-	-	-	-	-	-	-	-
Oregon Totals	2.02	0.17	0.07	0.03	0.03	*	0.09	0.04

* See Details Page

NOTE: Data may not add to totals because of rounding. The error referred to in the table is the standard error of the estimate. You can obtain the margin of error at the 95% confidence limit by multiplying the error by 1.96.

Standard errors greater than 50% of the estimate indicate a low level of statistical reliability.