

Prime, Statewide, and Locally Important Farmland Soils Carroll County, New Hampshire

Date of Download: 10/20/2000

<u>Map Unit Symbol</u>	<u>Map Unit Name</u>	<u>Farmland Class</u>	<u>Map Unit Acres</u>
CfB	CHARLTON FINE SANDY LOAM, 3 TO 8 PERCENT SLOPES	All areas are prime farmland	250
Ha	HADLEY VERY FINE SANDY LOAM, HIGH BOTTOM	All areas are prime farmland	350
MaB	MARLOW FINE SANDY LOAM, 3 TO 8 PERCENT SLOPES	All areas are prime farmland	500
MIB	MILLIS FINE SANDY LOAM, 3 TO 8 PERCENT SLOPES	All areas are prime farmland	1,500
NcA	NICHOLVILLE SILT LOAM, SANDY SUBSOIL VARIANT, 0 TO 3 PERCENT SLOPES	All areas are prime farmland	350
NcB	NICHOLVILLE SILT LOAM, SANDY SUBSOIL VARIANT, 3 TO 8 PERCENT SLOPES	All areas are prime farmland	700
Of	ONDAWA FINE SANDY LOAM	All areas are prime farmland	1,200
Oh	ONDAWA FINE SANDY LOAM, HIGH BOTTOM	All areas are prime farmland	1,400
SaA	SALMON VERY FINE SANDY LOAM, SANDY SUBSOIL VARIANT, 0 T O 3 PERCENT SLOPES	All areas are prime farmland	250
SaB	SALMON VERY FINE SANDY LOAM, SANDY SUBSOIL VARIANT, 3 T O 8 PERCENT SLOPES	All areas are prime farmland	850
SnB	SUTTON FINE SANDY LOAM, 0 TO 8 PERCENT SLOPES	All areas are prime farmland	200
WoB	WOODBIDGE FINE SANDY LOAM, 3 TO 8 PERCENT SLOPES	All areas are prime farmland	1,100
Po	PODUNK FINE SANDY LOAM	Prime farmland if drained and either protected from flooding or not frequently flooded during the growing season	600
Ps	PODUNK FINE SANDY LOAM, SANDY SUBSOIL VARIANT	Prime farmland if drained and either protected from flooding or not frequently flooded during the growing season	850
Wn	WINOOSKI VERY FINE SANDY LOAM	Prime farmland if drained and either protected from flooding or not frequently flooded during the growing season	250
Total Prime Farmland Acres			10,350
AcB	ACTON FINE SANDY LOAM, 0 TO 8 PERCENT SLOPES	Farmland of statewide importance	360
GIB	GLOUCESTER FINE SANDY LOAM, 3 TO 8 PERCENT SLOPES	Farmland of statewide importance	1,200
GIC	GLOUCESTER FINE SANDY LOAM, 8 TO 15 PERCENT SLOPES	Farmland of statewide importance	516
HfB	HERMON FINE SANDY LOAM, 3 TO 8 PERCENT SLOPES	Farmland of statewide importance	800
HfC	HERMON FINE SANDY LOAM, 8 TO 15 PERCENT SLOPES	Farmland of statewide importance	1,100
HtC	HOLLIS-CHARLTON FINE SANDY LOAMS, 8 TO 15 PERCENT SLOPES	Farmland of statewide importance	300
MaC	MARLOW FINE SANDY LOAM, 8 TO 15 PERCENT SLOPES	Farmland of statewide importance	600
MIC	MILLIS FINE SANDY LOAM, 8 TO 15 PERCENT SLOPES	Farmland of statewide importance	800

Prime, Statewide, and Locally Important Farmland Soils Carroll County, New Hampshire

Date of Download: 10/20/2000

<u>Map Unit Symbol</u>	<u>Map Unit Name</u>	<u>Farmland Class</u>	<u>Map Unit Acres</u>
PaC	PAXTON FINE SANDY LOAM, 8 TO 15 PERCENT SLOPES	Farmland of statewide importance	900
Total Acres of Statewide Importance			6,576
AdB	ACTON VERY STONY FINE SANDY LOAM, 0 TO 8 PERCENT SLOPES	Farmland of local importance	5,000
AmA	ADAMS LOAMY SAND, 0 TO 3 PERCENT SLOPES	Farmland of local importance	4,700
AmB	ADAMS LOAMY SAND, 3 TO 8 PERCENT SLOPES	Farmland of local importance	3,600
AmC	ADAMS LOAMY SAND, 8 TO 15 PERCENT SLOPES	Farmland of local importance	850
BcB	BECKET VERY STONY FINE SANDY LOAM, 3 TO 8 PERCENT SLOPES	Farmland of local importance	3,000
BcC	BECKET VERY STONY FINE SANDY LOAM, 8 TO 15 PERCENT SLOPES	Farmland of local importance	8,500
BKC	BECKET-SKERRY VERY STONY FINE SANDY LOAMS ASSOCIATION, SLOPING	Farmland of local importance	500
BsB	BERKSHIRE VERY STONY FINE SANDY LOAM, 3 TO 8 PERCENT SLOPES	Farmland of local importance	500
BsC	BERKSHIRE VERY STONY FINE SANDY LOAM, 8 TO 15 PERCENT SLOPES	Farmland of local importance	1,400
BVC	BERKSHIRE VERY STONY FINE SANDY LOAM ASSOCIATION, SLOPING	Farmland of local importance	2,800
CIB	CHARLTON VERY STONY FINE SANDY LOAM, 3 TO 8 PERCENT SLOPES	Farmland of local importance	460
CIC	CHARLTON VERY STONY FINE SANDY LOAM, 8 TO 15 PERCENT SLOPES	Farmland of local importance	1,500
CnA	COLTON GRAVELLY LOAMY FINE SAND, 0 TO 3 PERCENT SLOPES	Farmland of local importance	5,700
CnB	COLTON GRAVELLY LOAMY FINE SAND, 3 TO 8 PERCENT SLOPES	Farmland of local importance	8,000
CnC	COLTON GRAVELLY LOAMY FINE SAND, 8 TO 15 PERCENT SLOPES	Farmland of local importance	4,500
CyA	CROGHAN LOAMY FINE SAND, 0 TO 3 PERCENT SLOPES	Farmland of local importance	1,200
CyB	CROGHAN LOAMY FINE SAND, 3 TO 8 PERCENT SLOPES	Farmland of local importance	770
DeA	DEERFIELD LOAMY FINE SAND, 0 TO 3 PERCENT SLOPES	Farmland of local importance	1,000
DeB	DEERFIELD LOAMY FINE SAND, 3 TO 8 PERCENT SLOPES	Farmland of local importance	2,000
DnA	DUANE FINE SANDY LOAM, 0 TO 3 PERCENT SLOPES	Farmland of local importance	1,200
DnB	DUANE FINE SANDY LOAM, 3 TO 8 PERCENT SLOPES	Farmland of local importance	2,100
GsB	GLOUCESTER VERY STONY FINE SANDY LOAM, 3 TO 8 PERCENT SLOPES	Farmland of local importance	5,500
GsC	GLOUCESTER VERY STONY FINE SANDY LOAM, 8 TO 15 PERCENT SLOPES	Farmland of local importance	17,500
HmB	HERMON VERY STONY FINE SANDY LOAM, 3 TO 8 PERCENT SLOPES	Farmland of local importance	6,500
HmC	HERMON VERY STONY FINE SANDY LOAM, 8 TO 15 PERCENT SLOPES	Farmland of local importance	17,000
HsA	HINCKLEY GRAVELLY LOAMY SAND, 0 TO 3 PERCENT SLOPES	Farmland of local importance	950
HsB	HINCKLEY GRAVELLY LOAMY SAND, 3 TO 8 PERCENT SLOPES	Farmland of local importance	3,700
HsC	HINCKLEY GRAVELLY LOAMY SAND, 8 TO 15 PERCENT SLOPES	Farmland of local importance	3,100
HtB	HOLLIS-CHARLTON FINE SANDY LOAMS, 3 TO 8 PERCENT SLOPES	Farmland of local importance	300
HvB	HOLLIS-CHARLTON VERY ROCKY FINE SANDY LOAMS, 3 TO 8 PERCENT SLOPES	Farmland of local importance	1,500

Prime, Statewide, and Locally Important Farmland Soils Carroll County, New Hampshire

Date of Download: 10/20/2000

<u>Map Unit Symbol</u>	<u>Map Unit Name</u>	<u>Farmland Class</u>	<u>Map Unit Acres</u>
HvC	HOLLIS-CHARLTON VERY ROCKY FINE SANDY LOAMS, 8 TO 15 PERCENT SLOPES	Farmland of local importance	5,500
LDB	LEICESTER-RIDGEBURY VERY STONY FINE SANDY LOAMS ASSOCIATION, GENTLY SLOPING	Farmland of local importance	550
LfA	LEICESTER-WALPOLE VERY STONY FINE SANDY LOAMS, 0 TO 3 PERCENT SLOPES	Farmland of local importance	2,000
LfB	LEICESTER-WALPOLE VERY STONY FINE SANDY LOAMS, 3 TO 8 PERCENT SLOPES	Farmland of local importance	4,500
Lk	LIMERICK SILT LOAM	Farmland of local importance	1,350
Lm	LIMERICK VERY FINE SANDY LOAM, SANDY SUBSOIL VARIANT	Farmland of local importance	450
LnB	LYMAN-BERKSHIRE VERY ROCKY FINE SANDY LOAMS, 3 TO 8 PERCENT SLOPES	Farmland of local importance	1,000
LnC	LYMAN-BERKSHIRE VERY ROCKY FINE SANDY LOAMS, 8 TO 15 PERCENT SLOPES	Farmland of local importance	5,500
MdB	MARLOW VERY STONY FINE SANDY LOAM, 3 TO 8 PERCENT SLOPES	Farmland of local importance	1,200
MdC	MARLOW VERY STONY FINE SANDY LOAM, 8 TO 15 PERCENT SLOPES	Farmland of local importance	4,500
MFC	MARLOW-PERU VERY STONY FINE SANDY LOAMS ASSOCIATION, SLOPING	Farmland of local importance	5,500
MsB	MILLIS VERY STONY FINE SANDY LOAM, 3 TO 8 PERCENT SLOPES	Farmland of local importance	3,200
MsC	MILLIS VERY STONY FINE SANDY LOAM, 8 TO 15 PERCENT SLOPES	Farmland of local importance	8,000
NaB	NAUMBURG LOAMY SAND, 0 TO 8 PERCENT SLOPES	Farmland of local importance	7,500
PdB	PAXTON VERY STONY FINE SANDY LOAM, 3 TO 8 PERCENT SLOPES	Farmland of local importance	1,500
PdC	PAXTON VERY STONY FINE SANDY LOAM, 8 TO 15 PERCENT SLOPES	Farmland of local importance	6,000
PeB	PERU VERY STONY FINE SANDY LOAM, 3 TO 8 PERCENT SLOPES	Farmland of local importance	7,500
PeC	PERU VERY STONY FINE SANDY LOAM, 8 TO 15 PERCENT SLOPES	Farmland of local importance	4,500
PLC	PERU VERY STONY FINE SANDY LOAM ASSOCIATION, SLOPING	Farmland of local importance	3,500
Ra	RAYNHAM SILT LOAM, SANDY SUBSOIL VARIANT	Farmland of local importance	750
RgB	RIDGEBURY FINE SANDY LOAM, 0 TO 8 PERCENT SLOPES	Farmland of local importance	350
RIA	RIDGEBURY VERY STONY FINE SANDY LOAM, 0 TO 3 PERCENT SLOPES	Farmland of local importance	2,100
RIB	RIDGEBURY VERY STONY FINE SANDY LOAM, 3 TO 8 PERCENT SLOPES	Farmland of local importance	8,000
SdB	SCITUATE VERY STONY FINE SANDY LOAM, 3 TO 8 PERCENT SLOPES	Farmland of local importance	5,500
SdC	SCITUATE VERY STONY FINE SANDY LOAM, 8 TO 15 PERCENT SLOPES	Farmland of local importance	2,500
SeB	SKERRY VERY STONY FINE SANDY LOAM, 3 TO 8 PERCENT SLOPES	Farmland of local importance	5,800
SeC	SKERRY VERY STONY FINE SANDY LOAM, 8 TO 15 PERCENT SLOPES	Farmland of local importance	6,800
Sf	SUNCOOK LOAMY FINE SAND	Farmland of local importance	1,100

**Prime, Statewide, and Locally Important Farmland Soils
Carroll County, New Hampshire**

Date of Download: 10/20/2000

<u>Map Unit Symbol</u>	<u>Map Unit Name</u>	<u>Farmland Class</u>	<u>Map Unit Acres</u>
SuB	SUTTON VERY STONY FINE SANDY LOAM, 0 TO 8	Farmland of local importance	300
WaB	WAUMBEEK VERY STONY FINE SANDY LOAM, 3 TO 8 PERCENT SLOPES	Farmland of local importance	5,000
WBC	WAUMBEEK-SKERRY VERY STONY FINE SANDY LOAMS ASSOCIATION, SLOPING	Farmland of local importance	4,064
WdA	WINDSOR LOAMY SAND, 0 TO 3 PERCENT SLOPES	Farmland of local importance	1,300
WdB	WINDSOR LOAMY SAND, 3 TO 8 PERCENT SLOPES	Farmland of local importance	3,500
WdC	WINDSOR LOAMY SAND, 8 TO 15 PERCENT SLOPES	Farmland of local importance	2,100
WvB	WOODBIDGE VERY STONY FINE SANDY LOAM, 3 TO 8 PERCENT SLOPES	Farmland of local importance	3,000
WvC	WOODBIDGE VERY STONY FINE SANDY LOAM, 8 TO 15 PERCENT SLOPES	Farmland of local importance	1,200
		Total Acres of Local Importance	242,444
		Total Acres of Prime, Statewide and Locally Important Farmland Soils	259,370