


ACCESS RAMP



PLAN VIEW



SECTION A-A

DIMENSIONS

L = \_\_\_\_\_ (ft) \_\_\_\_\_ (in)

W = \_\_\_\_\_ (ft) \_\_\_\_\_ (in)

H = \_\_\_\_\_ (ft) \_\_\_\_\_ (in)

D = \_\_\_\_\_ (ft) \_\_\_\_\_ (in)

T = \_\_\_\_\_ (ft) \_\_\_\_\_ (in)

S = \_\_\_\_\_ (ft) \_\_\_\_\_ (in)

X = \_\_\_\_\_

WIRE MESH \_\_\_\_\_

REBAR SIZE \_\_\_\_\_

SPACING \_\_\_\_\_ c-c (in)

JOINT SPACING \_\_\_\_\_

NOTES:

This standard drawing requires supporting technical documentation prior to use and must be adapted to the specific site.

Minimum ramp slope shall be 10H:1V.

Drawing not to scale.

<b>U.S.D.A. NATURAL RESOURCES CONSERVATION SERVICE</b>	JOB CLASS _____	Designed _____	Date _____
	CAD FILE NO. AWS-0051.DWG	Drawn _____	_____
	SHEET _____ OF _____	Checked _____	_____
		Approved _____	_____