


PRACTICE STANDARD 575, OPTION Ccd



QUANTITY ESTIMATE	
ESTIMATED TRAIL LENGTH -----	_____ FEET
FINE AGGREGATE -----	_____ CUBIC YARDS
HOOF CONTACT MATERIAL -----	_____ CUBIC YARDS
CLASS IV GEOTEXTILE MATERIAL - WCS 13 -----	_____ SQUARE YARDS

ANIMAL TRAIL CONSTRUCTION

- LOCATE TRAIL ON WELL TO POORLY DRAINED SOILS.
- AVOID LONG STEEP SLOPES.
- KEEP TRAIL GRADE <10%.
- CONSTRUCT TRAIL ABOVE NATURAL GROUND FOR BETTER DRAINAGE.
- REMOVE TREES AND BRUSH ONLY IN THE PROPOSED TRAIL AREA.
- AT STREAM CROSSINGS, ALIGN TRAIL SO THAT IT IS PERPENDICULAR TO THE CHANNEL.
- FINE AGGREGATE CRITERIA: 100% PASSING 3/8 INCH SIEVE AND 10% MAXIMUM PASSING THE #200 SIEVE.
- TRAILS CONSTRUCTED ON POORLY DRAINED SOIL SHALL HAVE A MINIMUM CROWNED SURFACE HEIGHT OF 18". THIS CAN BE ACHIEVED BY CROWNING OR A COMBINATION OF CROWNING AND DITCHING ALONG THE SIDE OF THE ANIMAL TRAIL. DITCHES SHALL HAVE A GRADE OF 0.5 PERCENT OR GREATER.

DRAWING NOT TO SCALE

 <p>United States Department of Agriculture Natural Resources Conservation Service</p>	<p>ANIMAL TRAIL CROSS-SECTION OPTION Ccd: FINE AGGREGATE WITH GEOTEXTILE, HOOF CONTACT, AND DRAINAGE</p> <p>CLIENT: _____ COUNTY: _____</p>	Date _____	File Name WI-440Ccd
		Designed _____	Date 07/14
		Drawn _____	Checked _____
		Approved _____	Sheet of _____